

“GHS Mixture Classification and Labels Creation System (NITE-Gmiccs)”

Classification Logic

Contents

1. Introduction	1
Principle of classification	1
Regarding the aerosol classification.	4
Effects on Aquatic Environment Decision	4
2. Physical Hazards Guidance.....	5
2.3.6 Selection of assessment items according to chemical structure	5
2.4.1 Relationship between UNRTDG classification and GHS Categorization.....	6
2.5.2 Flammable Gases	9
2.5.4 Oxidizing Gases.....	10
2.5.6 Flammable Liquids	11
Notes at the classification of physical hazards	12
3. Health Hazards Guidance (mixture)	13
3.5.1 Acute Toxicity.....	13
3.5.2 Skin Corrosion/Irritation	17
3.5.3 Serious Eye Damage/Eye Irritation.....	19
3.5.4 Respiratory or Skin Sensitization.....	21
3.5.5 Germ Cell Mutagenicity.....	23
3.5.6 Carcinogenicity	24
3.5.7 Reproductive Toxicity	25
3.5.8 Specific Target Organ Toxicity-Single Exposure.....	27
3.5.9 Specific Target Organ Toxicity-Repeated Exposure	29
3.5.10 Aspiration Hazard	30
4. Environmental Hazards Guidance	31
4.4.1 Hazardous to the Aquatic Environment – Acute Hazard.....	31
4-4-2 Hazardous to the ozone layer.....	37

1. Introduction

The "GHS Mixture Classification and Labels Creation System" (commonly known as NITE-Gmiccs, hereinafter referred to as "this system") is a web system version of the "GHS Mixture Classification System" (hereinafter referred to as "installed version") published on the GHS website of the Ministry of Economy, Trade and Industry. Therefore, the basic logic of this system follows the installed version. This system is a specification with some logic added to the classification principle below, and this document describes the logic that this system uses.

The underlined parts of this document indicate that it is based on the own rules of this system. This system does not consider the Bridging Principle or the like, it performs classification only that can be done by calculation. If the Bridging Principle can be applied, classification should be performed using the Bridging Principle and the results should be used to create the SDS or label. For the details of GHS, please refer to United Nations GHS documents, related JIS standards (Z7252:2019, Z7253:2019), "GHS classification guidance for enterprises" (2019 Revised Edition by the Ministry of Economy, Trade and Industry).

Although this system allows GHS mixture classification to be carried out by users on their own, it is important to note that the result by this system is just an example of classification, and the user is responsible for its use. Besides, the physical hazards, except some items, are not classified by this system. The main targets of this system are health hazards and environmental hazards. Therefore, for the physical hazards that are not classified in this system, the classification results performed by business operator should be entered manually for creating the SDSs or labels.

Principle of classification

This system allows you to select classifications based on the United Nations GHS Document, 6th Revised Edition (hereinafter referred to as "UN") and based on the Japanese Industrial Standards (hereinafter referred to as "JIS").

The basis of each classification is as follows:

UN

1. The range of the basis of the GHS classification, GHS classification category, and classification logic are all based on the United Nations GHS Document, 6th Revised Edition (2015).
2. The names of the hazard classes and the hazard categories are based on "Hazard Communication of Chemicals Based on GHS—Labelling and Safety Data Sheet (SDS)" (JIS Z 7253:2019) in consideration of the use in Japan.

JIS

1. The basis of the GHS classification is based on the United Nations GHS Document, 6th Revised Edition (2015).
2. The range of GHS classification categories to use (selection based on the Building block approach) is based on the "Classification of Chemicals Based on GHS" (JIS Z 7252:2019).

NITE-Gmiccs Classification Logic

3. The names of the hazard classes and the hazard categories are based on the "Hazard Communication of Chemicals Based on GHS— Labelling and Safety Data Sheet (SDS)" (JIS Z 7253:2019).
4. The classification logic of mixtures is based on the "Classification of Chemicals Based on GHS" (JIS Z 7252:2019) and the "GHS Classification Guidance for Enterprises" (revised edition in 2019, released by the Ministry of Economy, Trade and Industry).

Besides, the GHS classification category and concentration limits adopted by "UN" or "JIS" are as follows.

Table 1 GHS classification category adopted by "UN" or "JIS"

Explosives	unstable explosives	Category 1.1	Category 1.2	Category 1.3	Category 1.4	Category 1.5	Category 1.6	
Flammable gases	1A	1B	2					
Aerosols	1	2	3					
Oxidizing gases	1	2	3					
Gases under pressure	compressed	liquefied	refrigerated liquefied	Dissolved				
Flammable liquids	1	2	3	4				
Flammable solids	1	2						
Self-reactive substances and mixtures	TYPE A	TYPE B	TYPE C	TYPE D	TYPE E	TYPE F	TYPE G	
Pyrophoric liquids	1							
Pyrophoric solids	1							
Self-heating substances and mixtures	1	2						
Substances and mixtures which, in contact with water, emit flammable gases	1	2						3
Oxidizing liquids	1	2						3
Oxidizing solids	1	2						3
Organic peroxides	TYPE A	TYPE B	TYPE C	TYPE D	TYPE E	TYPE F	TYPE G	
Corrosive to metals and mixtures	1							
Desensitized explosives	1	2	3	4				
Acute toxicity	1	2	3	4				5*
Skin corrosion/irritation	1A	1B	1C	2				3*
Serious eye damage/eye irritation	1	2A	2B					
Respiratory sensitization or Skin sensitization	1	1A	1B					

NITE-Gmiccs Classification Logic

Germ cell mutagenicity	1A	1B	2	Effects on or via lactation
Carcinogenicity	1A	1B	2	
Reproductive toxicity	1A	1B	2	
Specific target organ toxicity - Single exposure	1	2	3	
Specific target organ toxicity - Repeated exposure	1	2		
Aspiration hazard	1	2*		
Hazardous to the aquatic environment Short term (Acute)	1	2	3	4
Hazardous to the aquatic environment Long term (Chronic)	1	2	3	
Hazardous to the ozone layer	1			

* Classification category not adopted by "JIS"

Table 2 Concentration limits adopted by "UN" or "JIS"

	Concentration limits adopted by "JIS"	Concentration limits adopted by "UN"
Carcinogenicity Category 2	1.0%	0.1%
Reproductive toxicity Category 1A 1B	0.3%	0.1%
Reproductive toxicity Category 2	3.0%	0.1%
Specific target organ toxicity Category 1	10%	1.0%
Specific target organ toxicity Category 2	10%	1.0%

NITE-Gmiccs Classification Logic

Regarding the aerosol classification.

Aerosol needs to be classified with reference to "About Aerosol Classification" as described below; however, in the specification of this system, it is classified as "Gas" for convenience.

About Aerosol Classification

"Aerosol" should be classified according to the procedure below.

- (1) First, enter the 100%-converted gas component composition, select "Aerosol" as the physical state, and perform the classification.
- (2) Then enter the 100%-converted non-gas component composition, select "Liquid" or "Solid" as the physical state depending on the physical state of the non-gas component, and perform the classification.
- (3) In the final classification of aerosol products, use (1) for physicochemical hazards, and for the acute toxicity (Inhalation: Gas) in health hazards.
For health hazards other than acute toxicity (Inhalation: Gas) and environmental hazards, compare both (1) and (2) and use the higher in the hazard level.

* NOTE: This does not correspond to aerosol in GHS but for products (UN No. 3500) in such a combination as gas + liquid or gas + solid, classification needs to be performed twice as in the case of aerosol. However, select "Gas" as the physical state first rather than "Aerosol," and for physicochemical hazards as a product, use both the gas and non-gas components. For health hazards and environmental hazards, it would be better off comparing both and then using the higher in the hazard level.

Effects on Aquatic Environment Decision

Since it had become a necessity to consider the United Nations GHS Document for the parts with vague numbers, we implemented an original system for effects on aquatic environment.

2. Physical Hazards Guidance

2.3.6 Selection of assessment items according to chemical structure

Based on the physical state of the selected mixture, judge whether or not it is subject to classification by using Table 2-3-1(revised) below. Note that "Aerosol" can be selected as the physical state in this system, but both the "United Nations GHS Document 6th Revised Edition" and the "Classification of Chemicals Based on GHS" (JIS Z 7252:2019) do not include aerosol in the selection of classification items, that is, it is an original function of this system developed with reference to the two guidelines.

Table 2.3.1(revised)

Classification of Physical Hazards based on physical, chemical states and chemical structure

Section	Hazard Class	Gas	Liquids	Solid	<u>Aerosol</u>
2.6.1	Explosives	×	○	○	<u>×</u>
2.6.2	Flammable Gases	○	×	×	<u>×</u>
2.6.3	Aerosols	<u>×</u>	<u>×</u>	<u>×</u>	○
2.6.4	Oxidizing Gases	○	×	×	<u>×</u>
2.6.5	Gases Under Pressure	○	×	×	<u>×</u>
2.6.6	Flammable Liquids	×	○	×	<u>×</u>
2.6.7	Flammable Solid	×	×	○	<u>×</u>
2.6.8	Self-reactive Substances and Mixtures	×	○	○	<u>×</u>
2.6.9	Pyrophoric Liquids	×	○	×	<u>×</u>
2.6.10	Pyrophoric Solids	×	×	○	<u>×</u>
2.6.11	Self-heating Substances and Mixtures	×	○	○	<u>×</u>
2.6.12	Substances and mixtures which, in contact with water, emit flammable gases	×	○	○	<u>×</u>
2.6.13	Oxidizing Liquids	×	○	×	<u>×</u>
2.6.14	Oxidizing Solids	×	×	○	<u>×</u>
2.6.15	Organic Peroxides	×	○	○	<u>×</u>
2.6.16	Corrosive to Metals	○	○	○	<u>×</u>
2.6.17	Desensitized explosives	×	○	○	<u>×</u>

○: Subject to classification. Need to be classified and categorized using this system.

×: Checked off. No need to be classified using this system as an exemption.

NITE-Gmiccs Classification Logic

2.4.1 Relationship between UNRTDG classification and GHS Categorization

, The cases in which the physicochemical hazards of a mixture can be classified by reference to the UNRTDG classification ("UN No," "Hazard class (here referred to as “UN class”, “subsidiary risk”)” "Packing Group") are shown according to the table below.

The shaded cells indicate items that cannot be classified by the system, the result is “Not classified”.

Table 2.4.1(revised) Comparison between GHS classification and UNRTDG classification

GHS Class	UNRTDG (Note: () is a subsidiary risk)	GHS Category	Reference
1)Explosives	Transport prohibited explosives	Unstable explosives	
	1.1	Division 1.1	UN class
	1.2	Division 1.2	
	1.3	Division 1.3	
	1.4	Division 1.4	
	1.5	Division 1.5	
	1.6	Division 1.6	
2)Flammable Gases)	2.1 and 2.3(2.1)	Category1	UN class subsidiary risk
	2.2 and 2.3	Category2	
	-	Category A	
	-	Category B	
	2.1 and 2.3(2.1) UN1950(aerosol)	Category1	UN class subsidiary risk
3)Aerosols	2.1 and 2.3(2.1) UN1950(aerosol)	Category2	
	2.2 and 2.3(2.1) UN1950(aerosol)	Category3	
4)Oxidizing Gases	2.2(5.1) or 2.3(5.1)	Category1	UN class subsidiary risk
5)Gases Under Pressure	2.1 Flammable gases	Compressed gas Liquefied gas Refrigerated liquefied gas Dissolved gas	
	2.2 Non-flammable, non-toxic gases		
6)Flammable Liquids	3 PG I	Category1	UN class subsidiary risk
	3 PG II	Category2	
	3 PG III	Category3	
	Not dangerous goods (Flash point:60degrees or more)	Category4	
7)Flammable Solid	4.1 PG II	Category1	UN class subsidiary risk
	4.1 PGIII	Category2	

NITE-Gmiccs Classification Logic

classification	UNRTDG (Note: () is a subsidiary risk)	GHS Category	Reference
8)Self-reactive Substances and Mixtures	Transport prohibited substances	Type A	UN class UN number
	4.1、UN3221,3222,3231,3232	Type B	
	4.1、UN3223,3224,3233,3234	Type C	
	4.1、UN3225,3226,3235,3236	Type D	
	4.1、UN3227,3228,3237,3238	Type E	
	4.1、UN3229,3230,3239,3240	Type F	
	Not dangerous goods	Type G	
9)Pyrophoric Liquids	4.2 PG I (liquid)	Category1	Properties, UN class, Package group
10)Pyrophoric Solids	4.2 PG I (solid)	Category1	Properties, UN class, Package group
11)Self-heating Substances and Mixtures	4.2 PG II	Category1	UN class, Package group
	4.2 PG III	Category1	
12)Substances and mixtures which, in contact with water, emit flammable gases	4.3 PG I or 4.2(4.3)	Category1	UN class, Package group, subsidiary risk
	4.3 PG II	Category2	
	4.3 PG III	Category3	
13)Oxidizing Liquids	5.1 PG I (liquid)	Category1	Properties, UN class, Package group
	5.1 PG II (liquid)	Category2	
	5.1 PG III (liquid)	Category3	
14)Oxidizing Solids	5.1 PG I (solid)	Category1	Properties, UN class, Package group
	5.1 PG II (solid)	Category2	
	5.1 PG III (solid)	Category3	
15)Organic Peroxides	Transport prohibited substances	Type A	UN class UN number
	5.2 UN3101,3102,3111,3112	Type B	
	5.2 UN3103,3104,3113,3114	Type C	
	5.2 UN3105,3106,3115,3116	Type D	
	5.2 UN3107,3108,3117,3118	Type E	
	5.2 UN3109,3110,3119,3120	Type F	
	Not dangerous goods	Type G	
16)Corrosive to Metals	The UN dangerous goods transport Class 8 includes Skin Corrosion	Category1	

NITE-Gmiccs Classification Logic

17) Desensitized explosives	3, UN1204,2059,3064,3343,3357,3379 (liquid) 4.1, UN1310,1320,1321,1322,1336,1337,1344,1347,1348,1349,1354,1355,1356,1357,1517,1571,2555,2556,2557,2852,2907,3317,3319,3344,3364,3365,3366,3367,3368,3369,3370,3376,3380,3474 (solid)	Category1	Properties, UN class, UN number
	-	Category2	
	-	Category3	
	-	Category4	

NITE-Gmiccs Classification Logic

2.5.2 Flammable Gases

2.5.2.6 Classification method of mixtures.

Flammability/combustibility should be determined by calculation in accordance with the below method.

In addition, this calculation method cannot exactly distinguish Category 1 from Category 2 but determine whether it is within the range from Category 1 to Category 2. From the standpoint of safety, Category 1 is used as the specifications of this system. Furthermore, if there is a component in the composition that cannot be classified into any of inert gas, oxidized gas, and flammable gas, it is judged that it cannot be classified because of the shortage of data.

Calculation method (1)

When consisting of flammable gases

$$\sum_i^n \frac{V_i \%}{T_{ci}}$$

Wherein, $V_i\%$, each content of flammable gas;
 T_{ci} , the maximum concentration of the flammable gas in nitrogen that makes the mixture not flammable in air;
 i , the i -th gas in the mixture;
 n , n , the number of gases in the mixture, and
 K_i , the equivalence factor to inert gas/nitrogen.
Value of T_{ci} is described in ISO10156:2010.

Judge as a flammable mixed gas if T_c is 1 or more.

Calculation method (2) When including 0.5% or more of oxidizing gases (oxygen etc.) as ingredients in addition to inert gases and flammable gases:

Do the following calculation additionally.

If $T_c < 1$ and $T_{ct2} \geq 1$, it may be flammable and should be checked by a test, but from the standpoint of safety, Category 1 is used as the specifications of this system.

$$\sum \frac{A_i}{0.9 \times L_i \times 100} = T_{ct2}$$

Where:

A_i : concentrations of ingredient flammable gases;
(The molecular weight is not Considered if physical state is gas.)

L_i : lower flammable limits of the gases.

By referring to the ISO10156:2010.

In addition, in the absence of data on its pyrophoricity, a flammable gas mixture should be classified as a pyrophoric gas if it contains more than 1% (by volume) of pyrophoric components.

2.5.4 Oxidizing Gases

2.5.4.6 Classification method of Mixtures

1. Classification JIS and UN GHS describe that tests or calculation methods should be performed according to ISO10156: 2010. There is no equivalent classification in the Japanese Fire Service Act and High Pressure Gas Safety Act. This test method is for determining the flammable range of the three-component system of "oxidizing gas, ethylene, and nitrogen" and extremely complicated. Also, few tests have been done for mixed gases.
2. An example of pure gas classified in this class is shown in Table 2.5.27 in the Guidance.
3. classification method described in ISO10156:2010 uses the criterion that a gas mixture should be considered as more oxidizing than air if the oxidizing power of the gas mixture is higher than 0.235(23.5%) and the procedure is shown below.

The oxidizing power (OP) is calculated as follows:

$$OP = \frac{\sum_{i=1}^n X_i C_i}{\sum_{i=1}^n X_i + \sum_{k=1}^p K_k B_k}$$

Where:

X_i : molar fraction of the i:th oxidizing gas in the mixture;

C_i : coefficient of oxygen equivalency of the i:th oxidizing gas in the mixture;

K_k : coefficient of equivalency of the inert gas k compared to nitrogen;

B_k : molar fraction of the k:th in inert gas in the mixture;

n : total number of oxidizing gases in the mixture;

p : total number of inert gases in the mixture;

2.5.6 Flammable Liquids

2.5.6.2 Classification criteria

A flammable liquid is classified in one of the four categories for this class according to the following table 2.5.31 based on the flash point and initial boiling point of the mixture itself. Besides, If the flash point is lower than 23 ° C and the information on the initial boiling point is insufficient, this system classifies as Category 1 from the viewpoint of safety.

Table 2.5.31 Criteria for flammable liquids

Category	Criteria
1	Flash point < 23° C and initial boiling point ≤ 35° C
2	Flash point < 23° C and initial boiling point > 35° C
3	Flash point ≥ 23° C and ≤ 60° C
4	Flash point > 60° C and ≤ 93° C

NITE-Gmiccs Classification Logic

Notes at the classification of physical hazards

In the classification of physicochemical hazards, even if all components are "Not applicable " or " Not classified", the category may need to be considered due to interaction between components.

Therefore, if the physicochemical hazards cannot be categorized by analogy, all of them are judged "Classification not possible."

When there are results of tests as mixtures done by users and it is possible for users to enter the physical hazard classification category, it is required to enter it manually for creating labels.

3. Health Hazards Guidance (mixture)

3.5.1 Acute Toxicity

For the calculation of acute toxicity, this system is used only to calculate classification of mixtures based on their components (the additivity formulas). If there are experimental data on acute toxicity or the bridging principle can be applied, it would be better to enter the results manually.

3.5.1.6 (5) If data is available for all or some of the components of the mixture.

If data or information on all components does not exist or not enough information is available for the assessment, it is judged "Classification not possible," and the following process is not performed. In addition, if the classification result of all the ingredients of the mixture is "Not classified," the following process is not performed, and it is judged "Not classified." If classification is performed by UN rule, it is necessary to change "Not classified" in JIS rule to "Category 5," because it is probable that "Not classified" in JIS rule corresponds to "Category 5" in UN rule.

If the toxicity and concentration of each component of the mixture are known, the ATE of the mixture is obtained from the ATE (acute toxicity estimate) of each component using the addition formula of the following formula 1 or formula 2, as shown in Table 3.5.1 (revised). If only the acute toxicity category is available, conversion to the acute toxicity estimate (ATE) is performed according to Table 3.5.10 (revised), and this conversion value is calculated as ATE of each ingredient.

In this system, for Category 1 and Category 2, the ingredient to be considered is determined to be 0.1% or more, referring to the UN GHS document 3.1.3.3 (a).

*Category 5 is based on the GHS document.

*Acute toxicity inhalation: For a vapour which is near the gaseous phases, classification should be based on the units of ppmV (Parts per million per volume) as follows: Category 1 (100 ppmV), Category 2 (500ppmV), Category 3 (2500 ppmV), Category 4 (20000 ppmV). *Acute toxicity inhalation: For a vapour, two calculations in ppmV and in mg/L are performed. For classification of mixtures (products), the result in ppmV is used. However, both of the results in ppmV and in mg/L need to be presented as the calculation basis. When only a value of either ppmV or mg/L is available for ingredients in a mixture, the calculation is performed using the conversion value of the category corresponding to Table 3.5.10. (Ex: If only the toxicity value = 0.9 mg / L is available, this system uses the conversion value of Category 2 = 100 ppmV and calculates the ATE_{mix}).

*The upper limit of a toxicity value to consider in the calculation is the estimate value in the range of Category 5. If the value is (mathematically) higher than the limit, it is considered that it does not have toxicity and included in the concentration (in the left part of the equation) but not in the acute toxicity (in the right part of the equation).

NITE-Gmiccs Classification Logic

Table 3.5.1(revised): Acute toxicity hazard categories and acute toxicity estimate (ATE) values defining the respective categories

Exposure route	Category 1	Category 2	Category 3	Category 4	<u>Category 5</u>
Oral (mg/kg bodyweight)	$ATE \leq 5$	$5 < ATE \leq 50$	$50 < ATE \leq 300$	$300 < ATE \leq 2000$	<u>$2000 < ATE \leq 5000$</u>
Dermal (mg/kg bodyweight)	$ATE \leq 50$	$50 < ATE \leq 200$	$200 < ATE \leq 1000$	$1000 < ATE \leq 2000$	<u>$2000 < ATE \leq 5000$</u>
Gases (ppmV)	$ATE \leq 100$	$100 < ATE \leq 500$	$500 < ATE \leq 2500$	$2500 < ATE \leq 20000$	<u>$20000 < ATE \leq 50000$</u>
Vapours (mg/L)	$ATE \leq 0.5$	$0.5 < ATE \leq 2.0$	$2.0 < ATE \leq 10$	$10 < ATE \leq 20$	<u>$20 < ATE \leq 50$</u>
Dusts and mists (mg/L)	$ATE \leq 0.05$	$0.05 < ATE \leq 0.5$	$0.5 < ATE \leq 1.0$	$1.0 < ATE \leq 5.0$	<u>$5.0 < ATE \leq 12.5$</u>

Table 3.5.10(revised) Conversion value for classification from experimentally obtained acute toxicity range value (or acute toxicity category) on each exposure route.

Exposure routes	acute toxicity range estimate	Converted Acute Toxicity point estimate
Oral (mg/kg bodyweight)	$0 < \text{Category1} \leq 5$	0.5
	$5 < \text{Category2} \leq 50$	5
	$50 < \text{Category3} \leq 300$	100
	$300 < \text{Category4} \leq 2000$	500
	<u>$2000 < \text{Category5} \leq 5000$</u>	<u>2500</u>
	<u>$5000 < \text{Not classified}$</u>	
Dermal (mg/kg bodyweight)	$0 < \text{Category1} \leq 50$	5
	$50 < \text{Category2} \leq 200$	50
	$200 < \text{Category3} \leq 1000$	300
	$1000 < \text{Category4} \leq 2000$	1100
	<u>$2000 < \text{Category5} \leq 5000$</u>	<u>2500</u>
	<u>$5000 < \text{Not classified}$</u>	
Gases (ppmV)	$0 < \text{Category1} \leq 100$	10
	$100 < \text{Category2} \leq 500$	100
	$500 < \text{Category3} \leq 2500$	700
	<u>$2500 < \text{Category4} \leq 20000$</u>	<u>4500</u>
	<u>$20000^{*1} < \text{Category5} \leq 50000^{*1}$</u>	<u>25000^{*2}</u>
	$50000 < \text{Not classified}$	
Vapours (mg/ l)	$0 < \text{Category1} \leq 0.5$	0.05
	$0.5 < \text{Category2} \leq 2.0$	0.5
	$2.0 < \text{Category3} \leq 10.0$	3
	$10.0 < \text{Category4} \leq 20.0$	11

NITE-Gmiccs Classification Logic

	<u>20.0*1 <</u>	<u>Category5</u>	<u>≤ 50.0*1</u>	<u>25*2</u>
	<u>50.0 <</u>	<u>Not classified</u>		
Dust/mist (mg/ l)	0 <	Category1	≤ 0.05	0.005
	0.05 <	Category2	≤ 0.5	0.05
	0.5 <	Category3	≤ 1.0	0.5
	1.0 <	Category4	≤ 5.0	1.5
	<u>5.0*1 <</u>	<u>Category5</u>	<u>≤ 12.5*1</u>	<u>6.25*2</u>
	<u>12.5 <</u>	<u>Not classified</u>		

*1 This value is a system specification of this system and set to a value 2.5 times the upper limit of the estimated value in the range of Category 4 by following the upper limit of the estimated value in the range of Category 5 from the upper limit of the estimated value in the range of Category 4 of oral and dermal toxicities in the UN GHS documents.

*2 This value is a system specification of this system and set to a value of the estimated value lower limit plus the estimated value upper limit divided by 10 in the range of Category 5 by following the converted value of Category 5 of oral and dermal toxicities in the UN GHS documents

1. Data available for all ingredients

The ATE_{mix} of the mixture is determined by calculation from the ATE values for all relevant ingredients according to the following formula below for oral, dermal, or inhalation toxicity.

However, if the classification of the relevant ingredient is "Not classified" and the acute toxicity estimate (ATE) is not obtained, it is assumed that the ATE is negligibly large and the calculation does not include the ingredients of "Not classified".

$$(formula\ 1) \quad \frac{100}{ATE_{mix}} = \sum_{i=1}^n \frac{C_i}{ATE_i}$$

wherein: ATE_{mix} = ATE of the mixture

C_i = concentration of ingredient i

ATE_i = Acute toxicity estimate of ingredient i

n shows the number of ingredients and i is running from 1 to n.

2. When information of an ingredient or multiple ingredients of a mixture are not available, the following methods may be applied.

If the concentration of the unknown component is 10% or less, use the formula 2 to calculate the ATE of the mixture.

In the event that an ingredient without any useable information at all is used in a mixture at a concentration $\geq 1\%$, it shall be concluded that clear acute toxicity estimate value is not applicable to the mixture. In such cases, the mixture should be classified based on the known ingredients only, and additional statement "x% of the mixture consists of ingredient (s) of unknown toxicity" is described in the classification result.

Furthermore, this method generally requires expert judgment, the classification result became "Not

NITE-Gmiccs Classification Logic

applicable to category"

$$\text{(formula 2)} \quad \frac{100 - \left(\sum C \text{ unknown if } > 10\% \right)}{ATE_{\text{mix}}} = \sum_{i=1}^n \frac{C_i}{ATE_i}$$

wherein: $C_{\text{unknown if } > 10\%}$: the total percentage of the unknown ingredient(s) if the concentration of the unknown ingredient (s) > 10%
 ATE_{mix} : ATE of the mixture
 C_i : concentration of ingredient i
 ATE_i : Acute toxicity estimate of ingredient i
 n: shows the number of ingredients and i is running from 1 to n.

- Corrective action depending on selected classification

If the classification resulted in Category 5 and the selected classification is JIS, Category 5 is not adopted and therefore the result needs to be classified into "Not classified."

NITE-Gmiccs Classification Logic

3.5.2 Skin Corrosion/Irritation

For the calculation of skin Corrosion/Irritation, this system is used only to calculate classification of mixtures based on their components (the additivity formulas). If there are experimental data on skin Corrosion/Irritation or the bridging principle can be applied, it would be better to enter the results manually.

3.5.2.7 (3) If data is available for all or some of the components of the mixture.

If any components with data or information for assessing Skin Corrosion/Irritation are included, perform the judgments below (c).

If data or information on all components does not exist or not enough information is available for the assessment, it is judged "Classification not possible," and the following process is not performed.

C) Classification of mixtures when data are available for all ingredients or only for some ingredients of the mixture

The component to be considered in the mixture is a component existing at a concentration of 1% or more (solid / liquid / dust / mist / vapor / mass / mass for gas and volume / volume for gas). However, unless there is a possibility that it may be related to the classification of the mixture even at a concentration of less than 1% like a corrosive component, this is not the case.

In this system, it is determined with reference to the UN GHS document 3.2.3.3 that a component to be considered is 0.1% or more for Category 1 and 1% or more for Category 2 and Category 3.

1. Classification of mixtures when the additivity approach applies for ingredients

If the skin corrosive component is below the concentration of Category 1 and is classified as skin irritant, 10 is used as the weighting coefficient. If the total concentration of each component exceeds the concentration limit (see Table 3.5.22 (revised)), which is the classification standard, the mixture is classified as skin corrosive / irritant.

Table 3.5.22(revised) Concentration of ingredients of a mixture to be classified additivity approach can be applied. (skin corrosion / irritation) (skin corrosion/irritation)

Sum of ingredients classified as:	Concentration triggering classification of a mixture as:		
	Skin corrosive	Skin irritant	
	Category 1	Category 2	Category 3
Skin Category 1	$\geq 5\%$	$< 5\%$, $\geq 1\%$	
Skin Category 2	—	$\geq 10\%$	$< 10\%$, $\geq 1\%$
Skin Category 3			$\geq 10\%$
(10 x skin Category 1) + skin Category 2	—	$\geq 10\%$	$< 10\%$, $\geq 1\%$
(10 x Skin Category 1) + Skin Category 2 + Skin Category 3			$\geq 10\%$

NOTE: In these cases, the sum of all ingredients of a mixture classified as skin Category 1A, 1B or 1C respectively, should each be $\geq 5\%$ in order to classify the mixture as either skin Category 1A, 1B or 1C. In case the sum of the skin Category 1A ingredients is $< 5\%$ but the sum of skin Category ingredients 1A+1B is $\geq 5\%$, the mixture should be classified as skin Category 1B. Similarly, in case the sum of skin

NITE-Gmiccs Classification Logic

Category 1A + 1B is < 5% but the sum of Category 1A + 1B + 1C is \geq 5% the mixture would be classified as Category 1C.

- Corrective action depending on selected classification

If the classification resulted in Category 3 and the selected classification is JIS, Category 3 is not adopted and therefore the result needs to be classified into "Not classified."

- When not classified into "Not classified":

As a result of following the procedure above, if the object is classified not classified, the total concentration of unknown components contained is equal to or more than the minimum value of the concentration to consider, it is judged to be "classification not possible" whereas if it is lower than the minimum value of the concentration to consider, it is judged to be "Not classified."

2. Classification of mixtures when the additivity approach can not apply for ingredients

For mixtures containing strong acids or bases, the pH should be used as classification criterion since pH will be a better indicator of skin corrosive than the concentration limits in Table 3.5.22.

A mixture containing skin corrosive or skin irritation ingredients that cannot be classified based on the additivity approach applied in Table 3.5.22 due to chemical characteristics that make this approach unworkable, should be classified as Category 1 if it contains \geq 1% of a skin corrosive ingredients and as Skin Category 2 when it contains \geq 3% of an skin irritation ingredients. Classification of mixtures with ingredients for which the approach in Table 3.5.22 does not apply is summarized in Table 3.5.23.

Table 3.5.23 Concentration of ingredients of a mixture when the additivity approach does not apply
(skin corrosive / skin irritation)

Ingredient	Concentration	Mixture classified as: Skin
Acid with $\text{pH} \leq 2$	$\geq 1 \%$	Category1
Base with $\text{pH} \geq 11.5$	$\geq 1 \%$	Category 1
Other corrosive (Category1) ingredient	$\geq 1 \%$	Category 1
Other irritant (Category2) ingredient (including acids and bases)	$\geq 3 \%$	Category 2

3.5.3 Serious Eye Damage/Eye Irritation

For the calculation of Serious Eye Damage/Eye Irritation, this system is used only to calculate classification of mixtures based on their components (the additivity formulas). If there are experimental data on Serious Eye Damage/Eye Irritation or the bridging principle can be applied, it would be better to enter the results manually.

3.5.3.7 (3) If data is available for all or some of the components of the mixture.

The component to be considered in the mixture is a component existing at a concentration of 1% or more (solid / liquid / dust / mist / vapor / mass / mass for gas and volume / volume for gas). However, unless there is a possibility that it may be related to the classification of the mixture even at a concentration of less than 1% like a corrosive component, this is not the case.

In this system, it is determined with reference to the UN GHS document 3.3.3.3 that a component to be considered is 0.1% or more for Category 1.

If any components with data or information for assessing Serious Eye Damage/Eye Irritation are included, perform the judgments below formula 1.

If data or information on all components does not exist or not enough information is available for the assessment, it is judged "Classification not possible," and the following process is not performed.

1. Classification of mixture to which addition method can be applied.

Table 3.5.32 (revised) shows the concentration limit for judging whether the mixture is classified as serious eye damage / eye irritation.

If the skin corrosive component is below the concentration of Category 1 and is classified as skin irritant, 10 is used as the weighting coefficient.

If the total concentration of each component exceeds the concentration limit (see Table 3.5.32 (revised)), which is the classification standard, the mixture is classified as serious eye damage / eye irritation.

NITE-Gmiccs Classification Logic

Table 3.5.32(revised) Concentration of ingredients of a mixture to be classified (serious eye damage/eye irritation)

Sum of ingredients classified as:	Concentration triggering classification of a mixture as:	
	Serious Eye Damage	Eye Irritation
	Category 1	Category 2 ^b
Eye or skin Category 1	$\geq 3 \%$	$\geq 1 \%$ but $< 3 \%$
Eye Category 2/2A	—	$\geq 10 \%$
(10 x eye Category 1) + eye Category 2/2A	—	$\geq 10\%$
Eye Category 1 + skin Category 1 ^a	$\geq 3 \%$	$\geq 1 \%$ but $< 3 \%$
10 x (skin Category 1 + eye Category 1) ^a + eye Category 2A/2B	—	$\geq 10 \%$

a) If a single component is classified into both Skin Category 1 and Eye Category 1, use the concentration for calculation once.

b) It is indicated as Category 2B only when all components of the mixture are classified into Category 2B.

2. Classification of mixtures to which the addition method cannot be applied

For mixtures containing strong or strong alkali, pH is used as classification criteria (see Table 3.5.33).

If it contains a corrosive property of 1% or more or serious damage component to the eye, severe damage to the eyes (Category 1), eye irritation (Category 2).

Table 3.5.33 shows the concentration limit for judging whether the mixture method cannot be applied to severe eye damage / eye irritation.

Table 3.5.33 Concentration of ingredients of a mixture when the additivity approach does not apply.
(serious eye damage/eye irritation)

Ingredient	Concentration	Mixture classified as:Eye
Acid with $\text{pH} \leq 2$	$\geq 1 \%$	Category 1
Base with $\text{pH} \geq 11.5$	$\geq 1 \%$	Category 1
Serious Eye Damage (Category 1) ingredients	$\geq 1 \%$	Category 1
Other irritant (Category 2), including acids and bases	$\geq 3 \%$	Category 2

· When not classified into not classified:

As a result of following the procedure above, if the object is classified out of category, the total concentration of unknown components contained is equal to or more than the minimum value of the concentration to consider, it is judged to be " Classification not possible " whereas if it is lower than the minimum value of the concentration to consider, it is judged to be " Not classified."

NITE-Gmiccs Classification Logic

3.5.4 Respiratory or Skin Sensitization

For the calculation of Respiratory Sensitization, this system is used only to calculate classification of mixtures based on their components. If there are experimental data on Respiratory Sensitization or the bridging principle can be applied, it would be better to enter the results manually.

If any components with data or information for assessing Respiratory Sensitization are included, perform the judgments below.

If data or information on all components does not exist or not enough information is available for the assessment, it is judged "Classification not possible," and the following process is not performed.

3.5.4.8 (3) If data is available for all or some of the components of the mixture.

When at least one component is classified as respiratory sensitizer or skin sensitizer and each of solids, liquids and gases exists at or above the respective concentration limits shown in table 3.5.46, the mixture is classified as Respiratory Sensitizing Substance Category 1 or Skin Sensitizing Substance Category 1.

It is decided that in this system, any components less than 0.1% is not considered, as well as the cutoff value / concentration limit value.

Table 3.5.46 Concentration limits of ingredients of a mixture classified as respiratory sensitizers

Ingredient classified as:		Concentration limits triggering classification of a mixture as:		
		Respiratory sensitizer Category 1		Skin sensitizer Category 1
		Solid/Liquid	Gas*1	All physical states
Respiratory sensitizer	Category 1	$\geq 1.0 \%^{*2}$	$\geq 0.2 \%$	-
	Category 1A	$\geq 0.1 \%$	$\geq 0.1 \%$	-
	Category 1B	$\geq 1.0 \%$	$\geq 0.2 \%$	-
Skin sensitizer	Category 1	-	-	$\geq 1.0 \%^{*2}$
	Category 1A	-	-	$\geq 0.1 \%$
	Category 1B	-	-	$\geq 1.0 \%$

*1: If the physical state is aerosol, it should be classified into gas and solid/liquid, their concentrations should be independently 100% converted and calculated, and then the classification category of the highest hazard among them should be used as the classification of the mixture. However, this system classifies it into gas for convenience.

*2: When the UN rule is selected in this system, the mixture is classified as class1 when there is 0.1% or more of respiratory sensitizer or skin sensitizer corresponding to class 1.

· When not classified into not classified:

As a result of following the procedure above, if the object is classified out of category, the total concentration of unknown components contained is equal to or more than the minimum value of the concentration to consider, it is judged to be " Classification not possible " whereas if it is lower than the

NITE-Gmiccs Classification Logic

minimum value of the concentration to consider, it is judged to be " Not classified."

NITE-Gmiccs Classification Logic

3.5.5 Germ Cell Mutagenicity

Calculation on germ cell mutagenicity in this system is performed only for classification based on mixture components; the presence of experimental data on the mixture itself and the application of the bridging principle is not considered.

3.5.5.6 (1) If data is available for all or some of the components of the mixture. (Method using the concentration limit)

If any components with data or information for assessing germ cell mutagenicity are included, perform the judgments below.

The mixture will be classified as a mutagen when at least one ingredient has been classified as a Category 1 or Category 2 mutagen and is present at or above the concentration limit as shown in Table 3.5.51 for Category 1 and 2, respectively.

Table 3.5.51 Concentration limits of ingredients of a mixture classified as germ cell mutagens

Ingredient classified as:		Concentration limits triggering classification of a mixture as:		
		Category 1A	Category 1B	Category 2
mutagen	Category 1A	$\geq 0.1 \%$	—	—
	Category 1B	—	$\geq 0.1 \%$	—
	Category 2	—	—	$\geq 1.0 \%$

- When not classified into not classified:

As a result of following the procedure above, if the object is classified out of category, the total concentration of unknown components contained is equal to or more than the minimum value of the concentration to consider, it is judged to be " Classification not possible " whereas if it is lower than the minimum value of the concentration to consider, it is judged to be " Not classified."

NITE-Gmiccs Classification Logic

3.5.6 Carcinogenicity

Calculation on carcinogenicity in this system is performed only for classification based on mixture components; the presence of experimental data on the mixture itself and the application of the bridging principle is not considered.

Classification of mixtures for carcinogen shall be basically performed based on the available data of the individual ingredients of the mixture by using the concentration limits as described later).

3.5.6.6 (1) Classification of mixtures when data are available for all ingredients or only for some ingredients of the mixture. (Method using the concentration limit)

The mixture will be classified as a carcinogen when at least one ingredient has been classified as a Category 1 or 2 carcinogen and is present at or above the concentration limit as shown in Table 3.5.58 for Category 1 and 2, respectively.

* Note*

Even if an ingredient is present less than the concentration limit in the mixture, when a carcinogen classified category 2 is contained at 0.1% or more, that fact should be specified on the SDS.

Table3.5.58 Concentration limits of ingredients of a mixture classified as carcinogens

Ingredient classified as:	Concentration limits triggering classification of a mixture as:		
	Category 1 carcinogen		Category 2 carcinogen
	Category 1A	Category 1B	
Category 1A carcinogen	$\geq 0.1 \%$	—	—
Category 1B carcinogen	—	$\geq 0.1 \%$	—
Category 2 carcinogen	—	—	$\geq 1.0 \%^{*1}$

*1: When the UN rule is selected in this system, the mixture is classified as class2 when there is 0.1% or more of carcinogen corresponding to class 2.

· When not classified into not classified:

As a result of following the procedure above, if the object is classified out of category, the total concentration of unknown components contained is equal to or more than the minimum value of the concentration to consider, it is judged to be " Classification not possible " whereas if it is lower than the minimum value of the concentration to consider, it is judged to be " Not classified."

NITE-Gmiccs Classification Logic

3.5.7 Reproductive Toxicity

Calculation on reproductive toxicity in this system is performed only for classification based on mixture components; the presence of experimental data on the mixture itself and the application of the bridging principle is not considered.

The reproductive toxicity classification of mixtures will be based on the available test data of the individual constituents of the mixture using concentration limits for the ingredients of the mixture as described later).

3.5.7.6 (1) Classification of mixtures when data are available for all ingredients or only for some ingredients of the mixture.

- 1) The mixture will be classified as a reproductive toxicant when at least one ingredient has been classified as a Category 1 or 2 reproductive toxicant and is present at or above the concentration limit as shown in Table 3.5.67 for Category 1 and 2, respectively.
- 2) The mixture will be classified for effects on or via lactation when at least one ingredient has been classified for effects on or via lactation and is present at or above the concentration limit as shown in Table 3.5.67 for the additional category for effects on or via lactation.

* Note*

Even if an ingredient is present less than the concentration limit in the mixture, when it is contained at 0.1% or more, that fact should be specified on the SDS.

In this system, when the substances of Category 1A and Category 1B are present at concentration of $0.1\% \leq n < 0.3\%$ in the mixture, that is described in "Rationale for the classification".

Table 3.5.67 Concentration limits of ingredients of a mixture classified as reproductive toxicants*

Ingredient classified as:	Concentration limits triggering classification of a mixture as:			
	Category 1 reproductive toxicant		Category 2 reproductive toxicant	Additional category for effects on or via lactation
	Category 1A	Category 1B		
Category 1A reproductive toxicant	$\geq 0.3\%$	—	—	—
Category 1B reproductive toxicant	—	$\geq 0.3\%$	—	—
Category 2 reproductive toxicant	—	—	$\geq 3.0\%$	—
Additional category for effects on or via lactation	—	—	—	$\geq 0.3\%$

* When the UN rule is selected in this system, all components of 0.1% or more are taken into account for reproductive toxicants and additional category in the table.

- When not classified into not classified:

As a result of following the procedure above, if the object is classified out of category, the total concentration of unknown components contained is equal to or more than the minimum value of the concentration to consider, it is judged to be "Classification not possible" whereas if it is lower than

NITE-Gmiccs Classification Logic

the minimum value of the concentration to consider, it is judged to be " Not classified."

3.5.8 Specific Target Organ Toxicity-Single Exposure

For the calculation of specific target organ toxicity-single exposure, this system is used only to calculate classification of mixtures based on their components. If there are experimental data on specific target organ toxicity-single exposure or the bridging principle can be applied, it would be better to enter the results manually.

If any components with data or information for assessing specific target organ toxicity-single exposure, are included, perform the judgments below.

If data or information on all components does not exist or not enough information is available for the assessment, it is judged "Classification not possible," and the following process is not performed.

3.5.8.6 (3) Classification of mixtures when data are available for all ingredients or only for some ingredients of the mixture (using concentration limit)

A mixture will be classified as a specific target organ toxicant (single exposure) when at least one ingredient has been classified as a Category 1 or Category 2 specific target organ toxicant (single exposure) and is present at or above the concentration limit as mentioned in Table 3.6.18 for Category 1 and 2 respectively.

The concentration limit is set at 10%, referring to JIS.

Table 3.5.73 Concentration limits of ingredients of a mixture as a specific target organ toxicant that would trigger classification of the mixture as Categories 1 and 2

Ingredient classified as:		Concentration limits triggering classification of a mixture as:	
		Category 1	Category 2
Specific target organ toxicant (Single exposure)	Category 1	$\geq 10 \% ^{*1}$	$1.0 \% \leq \text{ingredient} < 10 \%$
	Category 2	—	$\geq 10 \% ^{*1}$

*1: When the UN rule is selected in this system, a component of 1% or more is taken into account for a specific target organ toxicant.

* Note*

- Even if an ingredient is present less than the concentration limit in the mixture, when it is contained at 1% or more, that fact should be specified on the SDS.
- Care should be exercised when toxicants affecting more than one organ system are combined that the potentiation or synergistic interactions are considered, because certain substances can cause specific target organ toxicity at <1% concentration when other ingredients in the mixture are known to potentiate its toxic effect.

(4) When extrapolating toxicity of a mixture that contains Category 3 ingredient(s)

If a mixture contains ingredients applicable to Category 3 for its respiratory tract irritation or narcotic effects, the concentrations of the ingredients shall be summed up for each effect and if the sum becomes

NITE-Gmiccs Classification Logic

20% or more, the mixture is classified in Category 3 based on the effect.

- When not classified into not classified:

As a result of following the procedure above, if the object is classified out of category, the total concentration of unknown components contained is equal to or more than the minimum value of the concentration to consider, it is judged to be " Classification not possible " whereas if it is lower than the minimum value of the concentration to consider, it is judged to be " Not classified."

NITE-Gmiccs Classification Logic

3.5.9 Specific Target Organ Toxicity-Repeated Exposure

For the calculation of specific target organ toxicity- repeated exposure, this system is used only to calculate classification of mixtures based on their components. If there are experimental data on specific target organ toxicity- repeated exposure or the bridging principle can be applied, it would be better to enter the results manually.

3.5.9.6 (3) Classification of mixtures when data are available for all ingredients or only for some ingredients of the mixture (using concentration limit)

The mixture will be classified as a specific target organ toxicity substance (specific organ designation) as a result of a single exposure, repeated exposure, or both when at least one ingredient has been classified as a Category 1 or Category 2 specific target organ toxicant (repeated exposure) and is present at or above the concentration limit as mentioned in Table 3.6.78 for Category 1 and 2 respectively.

The concentration limit is set at 10% referring to JIS.

Table 3.5.78 Concentration limits of ingredients of a mixture as a specific target organ toxicant that would trigger classification of the mixture

Ingredient classified as:		Concentration limits triggering classification of a mixture as:	
		Category 1	Category 2
Specific target organ toxicant (Repeated exposure)	Category 1	$\geq 10 \%^{*1}$	$1.0 \% \leq \text{ingredient} < 10 \%$
	Category 2		$\geq 10 \%^{*1}$

*1: When the UN rule is selected in this system, a component of 1% or more is taken into account for a specific target organ toxicant.

* Note*

- Even if an ingredient is present less than the concentration limit in the mixture, when it is contained at 0.1% or more, that fact should be specified on the SDS.
- Care should be exercised when toxicants affecting more than one organ system are combined that the potentiation or synergistic interactions are considered, because certain substances can cause specific target organ toxicity at <1% concentration when other ingredients in the mixture are known to potentiate its toxic effect.

• When not classified into not classified:

As a result of following the procedure above, if the object is classified out of category, the total concentration of unknown components contained is equal to or more than the minimum value of the concentration to consider, it is judged to be " Classification not possible " whereas if it is lower than the minimum value of the concentration to consider, it is judged to be " Not classified."

NITE-Gmiccs Classification Logic

3.5.10 Aspiration Hazard

For the calculation of aspiration hazard, this system is used only to calculate classification of mixtures based on their components. If there are experimental data on aspiration hazard or the bridging principle can be applied, it would be better to enter the results manually.

3.5.10.6 (3) Classification of mixtures when data are available for all ingredients or only for some ingredients of the mixture (using concentration limit)

In the mixture, components present at a concentration of 1% or more are considered.

The component concentration classified as Category 1 is shown in Table 3.5.82.

Table 3.5.82 Component concentration for classification of mixtures by addition method
(Aspiration Hazard)

Ingredient	Concentration	Classification
Category 1 (kinematic viscosity ≤ 20.5 mm ² /s, at 40°C.)	$\geq 10\%$	Category 1
In case of a mixture which separates into two or more distinct layers, one of which contains \geq 10% of an ingredient classified in Category 1 (kinematic viscosity ≤ 20.5 mm ² /s, at 40°C.)	$\geq 10\%$	Category 1

A mixture with a kinematic viscosity higher than 20.5 mm² / s is "Not classified".

· Corrective action depending on selected classification

If the classification resulted in Category 2 and the selected classification is JIS, Category 2 is not adopted and therefore the result needs to be classified into "Not classified."

· When not classified into not classified:

As a result of following the procedure above, any objects that cannot be classified into an existing category are all classified into "Classification not possible."

4. Environmental Hazards Guidance

4.4.1 Hazardous to the Aquatic Environment – Acute Hazard

For the calculation of hazardous to aquatic environment-acute hazard, this system is used only to calculate classification of mixtures based on their components. If there are experimental data on hazardous to aquatic environment-acute hazard or the bridging principle can be applied, it would be better to enter the results manually.

Classification methods of mixtures (For Hazardous to the aquatic environment Short term (Acute))

If any components with data or information for assessing hazardous to aquatic environment-acute hazard, are included, perform the judgments below.

If data or information on all components does not exist or not enough information is available for the assessment, it is judged "Classification not possible," and the following process is not performed.

1. Not relevant ingredients

For "Not relevant ingredients " in Hazardous to the Aquatic Environmental, no numerical values are specified as the specifications of this system and all components are subject to calculation.

2. For Hazardous to the Aquatic Environmental, calculations are done by the three kinds of methods of A, B, and C below according to the GHS rules, and it is specified that the most conservative one is used from the standpoint of safety.

(2-1) Calculation method A

※ Calculation method A is carried out when there are two or more ingredients with toxicity value data of three trophic levels (fishes, crustaceans, algae).

2-1-1 Determine the category for each of the three trophic levels (fish, crustaceans, algae).

2-1-1-1 Additivity formula (* Refer to Eq. 4-4-1.)

For each of the three trophic levels, determine the category from the components with toxicity values using the additivity formula.

It is allowed to assign acute toxicity category to the mixture part using this calculated toxicity value and then apply it to the summation method.

2-1-1-2 addition formula (* Refer to Eq. 4-4-1)

Toxicity value data for three trophic levels are not available, but at least one is for toxicity value data, the strongest toxicity value is adopted for each ingredient, and the classification is obtained by addition formulas.

2-1-1-3 Summation method

Following the summation method, classify from the content percentage of components without toxicity values but with categories and from the content percentage of the categories determined in 2-1-1-1 and 2-1-1-2.

NITE-Gmiccs Classification Logic

2-1-2 Classification

From the results of each of the three trophic levels obtained in 2-1-1, use the category with the highest toxicity as the category of the mixture.

(2-2) Calculation method B

2-2-1 Of the three trophic levels, use the level with the highest toxicity value for each component and determine categories by the summation equation.

2-2-2 Following the summation method, determine the categories of the mixtures from the components without toxicity values but with categories and from the categories determined in 2-2-1.

(2-3) Calculation method C

Determine categories of mixtures only by the summation method without using the additivity formula.

3. Process in the case classification not applied.

In the case any classification not applied as a result of process described above, it is judged as “classification not possible” if mixture contains unknown component, or, it is judged as “not classified” if mixture not contains any unknown component.

formula 4-4-1 Additivity formula

$$\frac{\sum C_i}{L(E)C_{50m}} = \sum_n \frac{C_i}{L(E)C_{50i}}$$

Where:

C_i concentration of ingredient i (weight percentage)
 $L(E)C_{50i}$ LC_{50} or EC_{50} for ingredient i (mg/L)
 n number of ingredients, and i is running from 1 to n
 $L(E)C_{50m}$ $L(E)C_{50}$ of the part of the mixture with test data

The calculated toxicity shall be used to assign that portion of the mixture an acute hazard category which is then subsequently used in applying the summation method;

For Category 1, determine the toxicity multiplying factor M simultaneously with reference to Table 4.5.4(Rev1) and use it later for the summation method.

Table 4.4.18 Classification of a mixture for acute hazards based on summation of the concentrations of classified ingredients

Sum of the concentrations (in%) of ingredients classified as:	Mixture is classified as:
$\text{Acute 1} \times M \geq 25\%$	Acute 1
$(M \times 10 \times \text{Acute 1}) + \text{Acute 2} \geq 25\%$	Acute 2
$(M \times 100 \times \text{Acute 1}) + (10 \times \text{Acute 2}) + \text{Acute 3} \geq 25\%$	Acute 3

NITE-Gmiccs Classification Logic

Table 4.4.20(Rev1) M (toxicity multiplying factor) for ingredients with highly acute toxicity of mixtures

Calculation result			M: toxicity multiplying factor
0.1 <	Calculation result	≤ 1	1
0.01 <	Calculation result	≤ 0.1	10
0.001 <	Calculation result	≤ 0.01	100
0.0001 <	Calculation result	≤ 0.001	1000
0.00001 <	Calculation result	≤ 0.0001	10000

(continue in factor 10 intervals)

NITE-Gmiccs Classification Logic

For the calculation of hazardous to aquatic environment-long-term hazard, this system is used only to calculate classification of mixtures based on their components. If there are experimental data on hazardous to aquatic environment-acute hazard or the bridging principle can be applied, it would be better to enter the results manually.

Classification methods of mixtures for hazardous to the aquatic environment Long term (Chronic)

1. Not relevant ingredients

For " Not relevant ingredients " in Hazardous to the Aquatic Environmental, no numerical values are specified as the specifications of this system and all components are subject to calculation.

2. For Hazardous to the Aquatic Environmental, calculations are done by the three kinds of methods of A, B, and C below according to the GHS rules, and it is specified that the most conservative one is used from the standpoint of safety.

(2-1) Calculation method A

※ Calculation method A is carried out when there are two or more ingredients with toxicity value data of three trophic levels (fishes, crustaceans, algae).

2-1-1 Determine the category for each of the three trophic levels (fish, crustaceans, algae).

2-1-1-1 additivity formulas (* Refer to Eq.4-4-2.)

For each of the three trophic levels, determine the category from the components with toxicity values using the additivity formula.

It is allowed to assign acute toxicity category to the mixture part using this calculated toxicity value and then apply it to the summation method.

2-1-1-2 Additivity formula (* Refer to Eq. 4-4-2)

Toxicity value data for three trophic levels are not available, but at least one is for toxicity value data, the strongest toxicity value is adopted for each ingredient, and the classification is obtained by addition formulas.

2-1-1-3 Summation method

Following the summation method, classify from the content percentage of components without toxicity values but with categories and from the content percentage of the categories determined in 2-1-1-1 and 2-1-1-2.

2-1-2 Classification

From the results of each of the three trophic levels obtained in 2-1-1, use the category with the highest toxicity as the category of the mixture.

(2-2) Calculation method B

2-2-1 Of the three trophic levels, use the level with the highest toxicity value for each component and determine categories by the summation equation.

2-2-2 Following the summation method, determine the categories of the mixtures from the components without toxicity values but with categories and from the categories determined in 2-2-1.

NITE-Gmiccs Classification Logic

(2-3) Calculation method C

Determine categories of mixtures only by the summation method without using the additivity formula.

3. When not classified into hazard categories:

As a result of following the procedure above, if no categories are obtained, classify it into "Classification not possible" in the case where unknown components are present or out of category in the case where unknown components are not present.

Formula 4-4-2 Additivity formula

$$\frac{\sum C_i + \sum C_j}{EqNOEC_m} = \sum_n \frac{C_i}{NOEC_i} + \sum_n \frac{C_j}{0.1 \times NOEC_j}$$

where :

C_i concentration of ingredient i (weight percentage) covering the rapidly degradable ingredients;

C_j concentration of ingredient j (weight percentage) covering the non-rapidly degradable ingredients;

NOEC_i NOEC (or other recognized measures for chronic toxicity) for ingredient i covering the rapidly degradable ingredients, in mg/L;

NOEC_j NOEC (or other recognized measures for chronic toxicity) for ingredient j covering the non-rapidly degradable ingredients, in mg/L;

n number of ingredients, and i and j are running from 1 to n;

EqNOEC_m equivalent NOEC of the part of the mixture with test data;

For Category 1, determine the toxicity multiplying factor simultaneously with reference to Table 4.5.4 and use it later for the summation method.

Table 4.4.20 M (toxicity multiplying factor) for ingredients with high toxicity of mixtures

acute toxicity	M factor	Chronic toxicity	M factor	
L(E)C ₅₀ value		NOEC value	NRD ^(a)	RD ^(b)
0.1 < L(E)C ₅₀ ≤ 1	1	0.01 < NOEC ≤ 0.1	1	—
0.01 < L(E)C ₅₀ ≤ 0.1	10	0.001 < NOEC ≤ 0.01	10	1
0.001 < L(E)C ₅₀ ≤ 0.01	100	0.0001 < NOEC ≤ 0.001	100	10
0.0001 < L(E)C ₅₀ ≤ 0.001	1000	0.00001 < NOEC ≤ 0.0001	1000	100
0.00001 < L(E)C ₅₀ ≤ 0.0001	10000	0.000001 < NOEC ≤ 0.00001	10000	1000
(continue in factor 10 intervals)		(continue in factor 10 intervals)		

^{a)}NRD: Non-rapidly degradable ingredients

^{b)}RD: Rapidly degradable ingredients

NITE-Gmiccs Classification Logic

Table 4.4.19 (revised) Classification of a mixture for chronic hazards based on summation of the concentrations of classified ingredients

Sum of the concentrations (in %) of ingredients classified as:	Mixture is classified as:
Chronic 1 x M \geq 25%	Chronic 1
(M x 10 x Chronic 1) + Chronic 2 \geq 25%	Chronic 2
(M x 100 x Chronic 1) + (10 x Chronic 2) + Chronic 3 \geq 25%	Chronic 3
Chronic 1 + Chronic 2 + Chronic 3 + Chronic 4 \geq 25%	Chronic 4

* Category 4 is a safety net classification applied to the case where there is data showing the possibility of chronic toxicity and data on acute toxicity cannot be obtained and cannot be incorporated into the system. Therefore, it is not judged in this system. However, in the case where there is a basis of chronic hazards of mixtures but there is no data on acute hazards, it is allowed to enter "Long-term Category 4" manually.

NITE-Gmiccs Classification Logic

4-4-2 Hazardous to the ozone layer

- Classification criteria for hazardous to ozone layer

For classification of hazards to the ozone layer in this system, the classification is performed only in the following case.

(4) Classification methods of mixtures

Any mixture containing at least one ingredient listed in the Annexes to the Montreal Protocol, at a concentration $\geq 0.1\%$ shall be classified as Category 1.

<Update history>

Revision date	Material	Reason	Version
1, April, 2021	Whole		1.00
8, July, 2021	2.5.6 Flammable Liquids 3.5.1 Acute Toxicity	Add the details of classification logic and supplementary descriptions	1.01